400APNM-CS8



Type N Male for CNT-400 braided cable

Product Classification

Product TypeBraided cable connector

Product Brand CNT® | ConQuest® | QR®

General Specifications

Body Style Straight

Inner Contact Attachment Method Captivated

 Inner Contact Plating
 Silver

 Interface
 N Male

Outer Contact Attachment Method Crimp

Outer Contact Plating Trimetal

Dimensions


 Width
 20.25 mm | 0.797 in

 Length
 43 mm | 1.693 in

Diameter 20.25 mm | 0.797 in

Nominal Size 0.405 in

Outline Drawing



Electrical Specifications

Insertion Loss, typical	0.05 dB
Cable Impedance	50 ohm
Connector Impedance	50 ohm
dc Test Voltage	2500 V
Inner Contact Resistance, maximum	1 mOhm
Insulation Resistance, minimum	5000 MOhm
Operating Frequency Band	0 – 6000 MHz
Outer Contact Resistance, maximum	0.25 mOhm
Peak Power, maximum	10 kW
RF Operating Voltage, maximum (vrms)	707 V

Page 2 of 4



400APNM-CS8

VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

0–3000 MHz 1.04 35 **3000–6000 MHz** 1.16 23

Mechanical Specifications

Connector Retention Tensile Force 330 N | 74.187 lbf

Connector Retention Torque0.56 N-m4.956 in lbCoupling Nut Proof Torque1.7 N-m15.046 in lb

Coupling Nut Proof Torque Method IEC 61169-16:9.3.6

Coupling Nut Retention Force 450 N | 101.164 lbf

Coupling Nut Retention Force Method IEC 61169-16:9.3.11

Interface Durability 500 cycles

Interface Durability MethodIEC 61169-16:9.5Mechanical Shock Test MethodIEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature -65 °C to +125 °C (-85 °F to +257 °F)

Average Power, Ambient Temperature 40 °C | 104 °F

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

Weight, net 32.42 g | 0.071 lb



400APNM-CS8

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

