

Tech Specs

UniFi UISP Branding

Switching

WiFi

Camera Security

Door Access

Cloud Keys & Gateways

Power Tech

New I



WiFi > U7 Outdoor

Datasheet

In The Box

Marketing Images

Installation Guide



Mechanical

Dimensions

170 x 208 x 54.5 mm (6.7 x 8.2 x 2.1")

Weight

1.2 kg (2.6 lb)

Enclosure material

UV-stabilized polycarbonate, aluminum alloy

Mount material

Polycarbonate, SGCC steel

Pole mount diameter

25–60 mm (1–2.36") on pipe outer diameter

Wind survivability

74.6 N at 200 km/h (16.8 lbf at 125 mph)

Hardware

Networking interface	(1) 1/2.5 GbE RJ45 port
Management interface	Ethernet
Power method	PoE+
Power supply	UniFi PoE Switch
Supported voltage range	42.5—57V DC
Max. power consumption	19W
Max. TX power	
2.4 GHz	23 dBm
5 GHz	26 dBm
6 GHz	–
MIMO	
2.4 GHz	2 x 2
5 GHz	2 x 2
6 GHz	–
Throughput rate	
2.4 GHz	688 Mbps
5 GHz	4324 Mbps
6 GHz	–
Antenna gain	
2.4 GHz	Directional internal: 8 dBi / External omni: 3 dBi
5 GHz	Directional internal: 12.5 dBi / External omni: 4 dBi
6 GHz	–
Antenna beamwidth	
2.4 GHz	90°
5 GHz	45°
6 GHz	–
Antennas	(1) Directional internal antenna (2) External omni antennas (2) RP-SMA connectors for external antenna
LEDs	(1) Power: white/blue (4) Mesh signal: blue
Button	Factory reset
Mounting	Wall, ceiling, pole (Included)

Ambient operating humidity	5 to 95% noncondensing
Certifications	CE, FCC, IC
Software	
WiFi standards	802.11a/b/g/n/ac/ax/be
Wireless security	WPA-PSK, WPA-Enterprise (WPA/WPA2/WPA3/PPSK)
BSSID	8 per radio
VLAN	802.1Q
Advanced QoS	Per-user rate limiting
Guest traffic isolation	Supported
Concurrent clients	200+

Supported Data Rates

802.11a	6, 9, 12, 18, 24, 36, 48, 54 Mbps
802.11b	1, 2, 5.5, 11 Mbps
802.11g	6, 9, 12, 18, 24, 36, 48, 54 Mbps
802.11n	6.5 Mbps to 300 Mbps (MCS0 - MCS15, HT 20/40)
802.11ac (WiFi 5)	6.5 Mbps to 1.7 Gbps (MCS0 - MCS9 NSS1/2, VHT 20/40/80/160)
802.11ax (WiFi 6)	7.3 Mbps to 2.4 Gbps (MCS0 - MCS11 NSS1/2, HE 20/40/80/160)
802.11be (WiFi 7)	7.3 Mbps to 4.3 Gbps (MCS0 - MCS13 NSS1/2, EHT 20/40/80/160/240)

Stay in Touch

