

BDJ ROD PUSHER

Hydraulic **duct rod pushing device** equipped with speed and force regulation and a meter counter. That gives you full control over the duct rod while pushing process.

Replaceable holders are used to enable the use of various sizes of pipes. Practical, stable frame is protected against corrosion, with the option of tilting over the telecommunications well and attaching to the side walls of the well. The hydraulic control system allows the fiber to be pushed in and out.





To operate the machine a hydraulic unit is required.



TECHNICAL DATA

FIBER DIAMETER	6-15 mm
CABLE DIAMETER	6-20 mm
PIPE HOLDERS (INCLUDED IN THE SET)	32, 40, 50 and 63 mm
SPEED / MAX	30-60 m/min
DIMENSIONS OF THE UNIT (LXWXH)	140 x 55 x 80 mm weight 90 kg
IN THE SET	• Mechanical counter • forward/reverse switch (filament push mode/pull mode) • speed and maximum force adjustment (to protect the fiber from damage)

**36 MONTHS
WARRANTY**



GAMM-BUD Sp. z o.o. NIP 8520401324 Ul. Wiosenna 3, 72-002 Dołuje, **Polska**

KONTAKT: Tel. +48 604 474 444, Tel. +48 91 483 50 11, e-mail: info@gamm-bud.pl